





The Patent Office Concept House Cardiff Road Newport South Wales NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.


Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated

30 July 2003

. -~



Patents Act 1977 (Rule 16)



10FEB03 E783463-1 D02898_ P01/7700 0.00-0302883.4

The Patent Office

Cardiff Road Newport Gwent NP10 8QQ

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

1.	Your reference		F3329 (c)/rkk		·
2.	Patent application number (The Patent Office will fill in this part)		1667 	03028	383.4
3.	Full name, address and postcode of the or of each applicant (underline all surnames)		UNILEVER PLO UNILEVER HOU LONDON, EC4P	USE, BLACKI	FRIARS
	Patents ADP number (if you know it)		50426956002	೧ ೧೦೦	1628009
	If the applicant is a corporate body, give the country/state of its incorporation	·· · · · · · · · · · · · · · ·	UNITED KINGD	ОМ	
4.	Title of the invention		CONTAINER		·
5.	Name of your agent (if you have one)		THACKER Michael Anthony		
	"Address for Service" in the United Kingdom to which all correspondence should be sent (including the postcode)		PATENT DEPAR COLWORTH HO BEDFORD, MK4	OUSE, SHARI	
	Patents ADP number (if you know it)	071132	<u>85003</u>	·	<u> </u>
6.	If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number		Country Priority app (if you know	lication number	Date of filing (day / month / year)
7.	If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application		Number of earlier appli	cation	Date of filing (day/month/year)
8.	Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if: a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or c) any named applicant is a corporate body. See note (d))		YES		

10

15

20

25

30

Container

The present invention relates to containers in which infused liquid beverages are dispensed. Many liquid beverages are made by infusion. These include tea beverages which may be made by infusing green, black or colong teas derived from the plant Camellia sinensis or by infusing other plant materials to give the so-called herbal teas and coffee beverages which are made by infusing roasted and ground coffee beans or by infusing processed coffee products such as instant coffee powders or granules. The preferred liquid beverages are tea beverages.

Liquid beverages such as those sold to the consumer in an out-ofhome environment (eg fast food or take-away establishments or catering situations such as canteens in the workplace) are often served in a container which has a lid to minimise spillage. lid may be provided with a dispensing outlet through which the consumer drinks the beverage. Such beverages are often prepared by immersing an infusion bag (for example a tea bag) in water in the container and allowing the contents of the infusion bag to infuse for sufficient time to achieve the strength of beverage required by the consumer. In this specification the term "infusion bag" is intended to mean a porous bag which contains an infusible material from which a liquid beverage is made by infusion. To enhance the infusion many consumers agitate the infusion bag in the water. If the infusion bag is provided with a string and tag, the user may use the string to move the infusion bag up and down through the water in the container. After a sufficient infusion time the user must remove the infusion bag from contact with the water to prevent further infusion. This can be a messy operation as the infusion bag when removed from the water still has water contained in it which can drip as the infusion bag is moved. The above-described agitation

20

25

and removal of the infusion bag is made much more difficult if the container is provided with a lid which must be removed before the agitation and bag removal can take place. Removing the lid, and optionally replacing it before the beverage is consumed increases the risk that the beverage will be spilled. As the beverage may be hot this increases the chance of the consumer being hurt by the hot liquid and of the liquid being spilled onto the consumer's clothing or into the surroundings.

10 A first aspect of the present invention provides a container for serving liquid infused beverages made from infusion bags having a string and tag attached, said container comprising a receptacle for holding liquid, a lid for the receptacle provided with an opening having a first portion which is capable of gripping the string of the infusion bag and a second portion through which the string of the infusion bag can move into and out of the container.

A second aspect of the present invention provides a lid for a container for serving infused liquid beverages made from infusion bags having a string and tag attached, said lid being provided with an opening having a first portion which is capable of gripping the string of the infusion bag and a second portion through which the string of the infusion bag can move into and out of the container.

Preferably the lid is also provided with a dispensing outlet through which the consumer drinks the beverage.

30 The first portion of the opening may be in the form of a slit cut into the lid in such a way that the opposed sides of the slit grip the string of the infusion bag. The second portion of the opening may be an aperture located at the one end of the first

10

15

portion or anywhere along the length of the first portion. The aperture may be of any shape (for example circular, elliptical, triangular, square, polygonal eq hexagonal) provided that the aperture is of sufficient size that the string of the infusion bag can move easily through it. If the second portion of the opening is circular in cross-section, its diameter should be greater than the diameter of the string on the infusion bag. the first portion is in the form of a slit, the length of the slit is preferably sufficient so that the tag attached to the string can be pushed through the slit without bending the tag. To facilitate the passage of the tag through the first portion, one or more further slits may extend away from the first portion, preferably at right angles to it. The further slits may extend from either side of the first portion or only from one side. a preferred embodiment further slits extend at right angles from the first portion on both sides of the first portion, said further slits being aligned with the second portion of the opening.

The invention will now be illustrated by the following description of embodiments thereof, given by way of example only. The description is directed to infusion bags containing tea (tea bags) but it should be understood that the invention also has utility for the preparation of other infused liquid beverages such as coffee. The description has reference to the accompanying drawings in which:

Figure 1 is a cross-sectional view of a lid for a container in which a tea beverage is to be dispensed;

30

Figure 2 is a plan view of the lid of Figure 1;

Figures 3 to 5 are diagrammatic cross-sectional views illustrating steps in the making of a tea beverage; and

Figure 6 is plan view of a second embodiment of a lid.

5

10

15

A lid 1 has a circular lip 2 which engages with the open end of a receptacle (not shown in Figures 1 and 2) to fix the lid to the receptacle. The lid has a domed central section 3 provided with a dispensing outlet 4 through which a tea beverage contained in the receptacle can be consumed. Lids having these features are known and are commercially available from several suppliers. According to the present invention the lid 1 is provided with an opening generally shown as 5 in Figure 2. The opening 5 comprises a slit 6 forming the first portion of the opening 5 and a circular aperture 7 having a diameter greater than the diameter of the string on a tea bag to be used to make a tea beverage. The length of the slit 6 is sufficient that a tag on the string of the tea bag to be used can pass through the slit 6 without the need to fold the tag.

20

25

The slit 6 is preferably formed by making a single cut with a sharp blade. No material is removed from the lid in such a cutting operation. The sides of the slit 6 will then abut and can grip the string of the tea bag. Alternatively the slit 6 may be formed by removing material from the lid to provide a slit in which the sides of the slit are spaced apart. The width of the slit must however be less than the diameter of the string on a tea bag so that the sides of the slit can grip the string.

30 The aperture 7 is shown as circular in Figure 2 but it can be of any shape that allows the string of the tea bag to move freely through the aperture. In the embodiment shown in Figure 2 the



aperture 7 is shown at the midpoint of the slit 6. The aperture 7 can however be located anywhere along the length of the slit 6.

Figures 3 to 5 illustrate stages in the preparation of a tea beverage. Figure 3 shows a receptacle 8 containing water 9 and a tea bag 10. The tea bag 10 has a string 11 having a tag 12 attached to the end remote from the tea bag 10. The receptacle 8 is closed by a lid 1. The string 11 passes through the aperture 7 in the opening 5 on the lid 1.

10

15

30

5

The second embodiment shown in plan view in Figure 6 shares many features with the embodiment shown in Figures 1 and 2. reference numerals are used in respect of these shared features. The second embodiment has further slits 14 extending at right angles from the slit 6 on both sides of the slit 6. The further slits 14 are aligned with the aperture 7.

Before a tea beverage can be made the components shown in Figure 3 must be assembled. The receptacle 8, the lid 1 and the tea bag 20 10 will probably be supplied separately. Tag 12 of the tea bag 10 is pushed through the slit 6 from the side which will be the inside of the lid with the string 11 passing through the aperture The receptacle 8 is then filled with water. If the tea beverage is to be drunk hot, the temperature of the water is 25 preferably at least 85°C, more preferably greater than 90°C. the tea bag 10 is intended to provide a cold tea beverage (also known as iced tea) the temperature of the water is preferably less than 10°C more preferably around 5°C. The tea bag 10 is then placed in the water 9 and the lid 1 is put on the receptacle The tea bag 10 will either float in the water or will drop to the bottom of the receptacle 8. The consumer can move the tea bag up and down in the water by alternatively pulling and releasing the string 11. As the string can move freely through

F3329ff (C)

5

10

the aperture 7 the tea bag 10 will be moved upwards in the water as the string 11 is pulled through the lid 1 and will sink down in the water under the force of gravity when the string 11 is released. This movement is illustrated by the double headed arrow 14 in Figure 4. When the desired infusion period has passed the user pulls the string 11 until the tea bag is withdrawn from the water and is located adjacent the inner side of the lid 1 (as shown in Figure 5). The string 11 is then pulled into the slit by exerting sideways pulling movement on the string. The string is gripped by the sides of the slit 6 and the tea bag cannot move back into the water. The infusion then stops and the consumer can drink the tea beverage through the dispensing outlet 4.

- 15 If the consumer consumes the tea beverage without added milk or sweetener, the movement of the tea bag and its removal into the lid can occur without the need to remove the lid from the receptacle with the attendant risk of scalding if the tea beverage is hot or the accidental spillage of the tea beverage.

 20 If any required milk or sweetener are placed in the receptacle before the lid is placed on the receptacle then the consumer can drink the tea beverage in the way he or she wants to without the need to remove the lid.
- 25 The present invention ensures that the consumer can be supplied with an infused liquid beverage in a safe and convenient manner and avoids the need to remove and dispose of the infusion bag before consuming the beverage.



Claims

1. A container for serving infused liquid beverages made from infusion bags having a string and tag attached, said container comprising a receptacle for holding liquid, a lid for the receptacle provided with an opening having a first portion which is capable of gripping the string of the infusion bag and a second portion through which the string of the infusion bag can move into and out of the container.

10

5

- 2. A container as claimed in claim 1 wherein the first portion of the opening is in the form of a slit cut into the lid.
- 3. A container as claimed in claim 2 wherein the second portion of the opening is an aperture located on the slit.
 - 4. A container as claimed in claim 3 wherein the aperture is circular and has a diameter greater than that of the string on the infusion bag

20

- 5. A container as claimed in any one of claims 2 to 4 wherein the length of the slit is sufficient that the tag attached to the string may be pushed through it without bending the tag.
- 6. A container as claimed in any preceding claim wherein the lid has a dispensing outlet.
- 7. A lid for a container for serving infused liquid beverages made from infusion bags having a string and tag attached, said lid being provided with an opening having a first portion which is capable of gripping the string of the infusion bag and a second portion through which the string of the infusion bag can move into and out of the container.


25


- 8. A lid as claimed in claim 7 wherein the first portion of the opening is in the form of a slit cut into the lid.
- 9. A lid as claimed in claim 8 wherein the second portion of theopening is an aperture located on the slit.
 - 10. A lid as claimed in claim 9 wherein the aperture is circular and has a diameter greater than that of the string on the infusion bag
- 11. A lid as claimed in any one of claims 8 to 10 wherein the length of the slit is sufficient that the tag attached to the string may be pushed through it without bending the tag.
- 15 12. A lid as claimed in any one of the preceding claims wherein the lid has one or more further slits extending away from the first portion,
- 13. A lid as claimed in claim 12 wherein the further slit or20 slits extend at right angles to the first portion
 - 14. A lid as claimed in claim 12 wherein the further slit or slits are aligned with the second portion of the opening.
 - 15. A lid as claimed in any one of claims 7 to 14 wherein the lid has a dispensing outlet.

10

Abstract

Infused liquid beverages are made from infusion bags (for example tea bags) having a string and tag attached in a container comprising a receptacle for holding the infusing liquid, a lid for the receptacle provided with an opening having a first portion which is capable of gripping the string of the infusion bag and a second portion through which the string of the infusion bag can move into and out of the container.








Figure 6

1			The state of the s
Ê			
7		1111	0
ing.		- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
5		and the second of the second	
		in the second se	The state of the s
S.A.			
e de la companya de l			
Ş.			
5			ty.
ž.			
Ŋ.			and the second
6. 6.			
į.		¥	
7			
3			
N .			
Military B.			
B		# ₁	
(a)			,
phallis Since		# #	
Ų.			
į.	and the state of the		e in the second
k			
ka . [.≠		Section 1	
-3			
*			
1.1			
34			
· · · · · · · · · · · · · · · · · · ·			
- Sign			
- 100 - 100		San	
			r kalendari
Maggi Tje			
			and the second s
100 mg.			
j.			
•			4°
L.			
الم الم			
et.			
100 mm		v.s.	
- F			

<u> </u>			
		No. of Marie	<u>។</u> ម
		•	
		•	
W.	•		